

[Home](#) ▶ [Equipment](#) ▶ [Loaders](#) ▶ [Mini Track Loaders](#) ▶ [Non-Current Models](#) ▶ [MT85](#)

MT85 Mini Track Loader

Year(s) of Production: 2015

[Shop Parts, Fluids & More](#)

[Service Schedules](#)

[Order Manuals](#)

[Operator Training](#)

[Used Inventory](#)

MT85 Specifications

MT85 Key Specifications

Rated Operating Capacity (ISO)	850 lb
Operating Weight	3103 lb
Ground Pressure (Rubber)	4.9 psi
Width	35.6 in
Height to Bucket Hinge Pin	80.9 in

Engine

Emissions Tier (EPA)	Tier 4
Engine Cooling	Liquid
Engine Fuel	Diesel
Displacement	55 in ³
Number of Cylinders	3
Horsepower	24.8 hp

Performance

Rated Operating Capacity (ISO)	850 lb
Tipping Load	2458 lb

Operating Weight	3103 lb
Ground Pressure (Rubber)	4.9 psi
Travel Speed	4.1 mph
Travel Speed - Reverse	2.9 mph

Capacities

Fuel Tank	7 gal
-----------	-------

Hydraulic System

Pump Capacity	12 gal/min
System Relief @ Quick Couplers	2,900 psi

Dimension

Length	106.2 in
Width	35.6 in
Height	54.6 in
Height to Bucket Hinge Pin	80.9 in
Length of track on ground	40.6 in
Reach @ Maximum Height	18.6 in

Features

Lift-Arm Support	Standard
Auxiliary Hydraulics	Standard
Spark Arrestor Muffler	Standard
Bob-Tach Attachment System	Optional
Reverse Travel Stop Panel	Not Applicable
Wide Track	Optional
Neutral Start Interlocks	Standard
Lift Arm Lockout With Manual Bypass	Standard
Tilt Lockout	Standard
Built-In Tie Down & Crane/Lift Locations	Standard
Ride-on Platform	Standard

Search for Parts

[Search ↗](#)

WARNING: *This product can expose you to chemicals including engine exhaust (including diesel engine exhaust when equipped), lead and lead compounds, mineral oils, soots, phthalates, and carbon monoxide which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.*

Certain specification(s) are based on engineering calculations and are not actual measurements. Specification(s) are provided for comparison purposes only and are subject to change without notice. Specification(s) for your individual equipment will vary based on normal variations in design, manufacturing, operating conditions, and other factors.